



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

VII. *An Account of the Dissection of an Eye with a Cataract.* By Mr. John Ranby, Surgeon.

Sept. 21. 1723. I was consulted by one *William Sol-lars*, aged Fifty, who complain'd of a Decay in his Sight; upon examining his Eyes, I found two Cataracts, that in his right Eye almost ripe, the other just forming. There being no other obvious Method of relieving him, I propos'd the Operation, but first advis'd him to consult some others of the Profession, and accordingly he advis'd with my ingenious Friend Mr. *Tanner*, who, upon viewing his Eyes, declar'd them both Cataracts, but that neither of them was as yet fit for the Operation. In the mean time the poor Man fell ill of a Fever, and died the 2d of *March*. I procur'd the Right Eye, in which the Cataract was most confirm'd, in order to make an exact Dissection of it: In examining it, I found the Aqueous and Vitreous Humours in their natural State, but the Crystalline Humor was opake and of a foul Pearl Colour, and more solid Substance than in its natural State. The generally receiv'd Opinion, that a Cataract is a Film growing behind, or sometimes before the Pupil, made us examine both Chambers of the Aqueous Humour, with the utmost Exactness, but all to no Purpose, for the Aqueous Humour had its natural Transparency, nor could we observe any thing preternatural either on the *Iris* or *Vitreum*, except too great a Contraction of the Pupil. This very much strengthens the Opinion of *Maitrejan*, *Bris-sé*, *Heister*, and *Valsalva*, who have severally asserted, that a Cataract is only an Opacity of the Crystalline Humour, and that it naturally proceeds from a Serous Acid,

Acid, which so far astringes and corrodes its Substance, as to destroy its Transparency. This, *Maitrejan* confirms by an Experiment of immersing the Crystalline Humour in a Composition of three Parts Water and one of *Aquafortis*, by which he tells us it may be render'd hard and opake ; but in this Point I cannot help siding with the learned Dr. *Pitcairn*, who has sufficiently proved, that there is no such Serous Acidity in an animal Body. To me nothing seems more easy than to deduce this Opacity of the Crystalline Humour from an Inflammation in the Blood, or an increas'd *Momentum* in the Fluids, with which it is supply'd : for in that Case grosser Particles, inconsistent with the Transparency, may be impell'd into the Lymphatick Vessels of which it is compos'd ; and that there is an Inflammation is sufficiently demonstrated from hence ; first, the Patient feels often a pungent Pain in the Eye, which as it is generally the forerunner of a Cataract, so it certainly indicates an Inflammation of the Part. Secondly, Those *Maculae*, which appear as it were swimming in the Air, plainly prove that there are opake Particles already enter'd the Lymphatick Vessels, which compose the Vitreous Humour.

Thirdly, the *Iris*, whose Colour arises from the Blood Vessels, as it changes from a lighter to a darker Colour, shews the Violence of the Inflammation, and is therefore esteem'd a Symptom of the worst Consequence.

F I N I S.

L O N D O N : Printed for W. and J. I N N Y S,
Printers to the Royal Society, at the West End of
St. Paul's Churchyard.